

Government of Kerala
Department of Electrical Inspectorate
Office of the Chief Electrical Inspector
Housing Board Buildings, Shanthi Nagar
Thiruvananthapuram 695 001
Phone: 0471 2330558 , 0471 2331104
Email : cei.kerala@kerala.gov.in, ceikerala@gmail.com
Web site: www.ceikerala.gov.in



An IS 15700 : 2018 Certified Department

No. : CEI/73/2026-B3

Thiruvananthapuram
Date:16-03-2026

CIRCULAR

Subject:- Compliance requirements for supply and installation of disability-friendly passenger lifts regarding.

Reference:- Letter No. EIS/970/2025-B3 dated 06.12.2025 from the Electrical Inspector, F

Disability-friendly passenger lifts to be supplied and installed shall conform to **IS 15330:2020, IS 14665 (all relevant parts)** and other applicable Indian Standards relating to lift construction, safety and operation. The lifts shall also comply with the Kerala Lifts and Escalators Rule,2012 and allied statutory provisions. Manufacturers shall obtain prior approval from the concerned Electrical Inspectorate before erection and commissioning. All inspections, testing and documentation shall be completed before handing over. Any deviation, delay in approval, or unauthorized commissioning shall attract penal action as per the applicable rules and regulations.

Chief Electrical Inspector.

To

1. The Deputy Chief Electrical Inspector/ Electrical Inspector,
All District offices.
2. All Lift manufactures